

अल्पकालीन कोटेशन आमंत्रण सूचना-सं0-19/BIADA/2017-18

औद्योगिक क्षेत्र, पाटलीपुत्रा में कार्यालय परिसर के कुछ भाग को आंशिक रूप से मरम्मत कार्य हेतु कोटेशन आमंत्रण किया जाता है। यह कोटेशन कार्यपालक अभियंता, बियाडा पटना, प्रथम तल उद्योग भवन, पूर्वी गाँधी मैदान के कार्यालय में दिनांक 12.12.2017 के अपराह्न 3:00 बजे तक प्राप्त किया जाएगा तथा दिनांक 12.12.2017 के 3:30 बजे अपराह्न में कोटेशनदाताओं या उनके अधिकृत प्रतिनिधियों के समक्ष तकनीकी बीड एवं वित्तीय बीड खोला जाएगा।

एजेन्सी का नाम एवं पता

कार्य की विवरणी

Name of Work:- Repair of Area office(Part Building) at I/A Patliputra, Patna.						
Sl.No	Description of items	Unit	Quantity	Rate		Amount
				In Word	In Figure	
1	Removing white or colour wash by scrapping and sand paper in and preparing the surface smooth including necessary repair scratches etc. complete.	sqm	446.45			
2	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	Sqm	223.22			
3	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sqm and under including cutting the patch in proper shape and preparing and plastering the surface of the walls complete including disposal of rubbish to the dumping ground wuthin 50 metres lead.					
	with cement mortar 1:4(1 cement:4 coarse sand)	Sqm	223.22			
4	Colour washing such as green, blue or buff to give an even shade.					
	Old work (two or more coats) with whitening	sqm	446.45			
5	Painting with ready mixed paint of approved brand and manufacture in all shades to give an even shade:					
	Old steel work(one or more coats)	Sqm	74.56			
	Old wood work(one or more coats)	Sqm	28.81			
6	Renewing bottom rail and /or top runner of collapsible gate including making good all damages and applying priming coat of zinc chromate yellow primer of approved brand and manufacturer.	Kg	80.00			

9/12

7	Providing and fixing 37 mm thick factory made PVC door shutter, styles and rails made of PVC hollow section of size 100 mm x 37 mm with wall thickness 2 mm (± 0.2 mm), with inbuilt bead on one side, styles and rails mitered cut and joint at the corners by means of 2 nos of plastic brackets of size 75 mm PVC profile of size 28 mm x 30 mm, with wall thickness 2 mm (± 0.2 mm). Lockrail of size 100 mm x 37 mm, wall thickness 2 mm (± 0.2 mm) will be fixed to the vertical styles. Providing with PVC snapfit beads and panel of size 100 mm x 20 mm, and inserting 2 nos tie bar of 6 mm dia and fastening with nuts and washers complete, all as per manufacturer's specification and direction of Engineer-in-charge.	Sqm	1.70				
8	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.						
	15 mm nominal bore.	Each	2.00				
9	Providing and fixing bright finished brass tower bolts (barrel type) with necessary screws etc. complete						
	150x10mm	Each	2.00				
	100x10mm	Each	6.00				
10	Providing and fixing bright finished brass butt hinges with necessary screws etc. complete:						
	125x85x5.5 mm (heavy type)	Each	2.00				
11	Providing and fixing bright finished brass handles with screws etc. complete:						
	100 mm	Each	8.00				
12	Un Skilled labour	Per/day	8.00				
13	Wiring for light point/fan point/ exhaust fan point/call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit with modular switch, modular plate suitable GI box etc. as required.	Point	15.00				
14	Wiring for circuit/Submain wiring along with earth wire with the following sizes of FR PVC insulated copper conductor, single core cable in surface/recessed medium class PVC conduit as required.						
	2x6 sq.mm +1x6 Sq.mm earth wire.	Meter	30.00				
15	Wiring for circuit/submain wiring along with earth wire with the following sizes of FR PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required.						

	2x1.5 sq.mm+1x1.5 sq.mm earth wire.	Meter	48.00			
16	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess including providing and fixing 3 pin 5/6 amps modular socket out let & 5/6 amps modular switch, connection etc. as required.	Each	5.00			
17	Supplying and fixing of suitable size GI box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin 5/6 & 15/16 amps modular socket outlet and 15/16 amps modular switch connection, etc as required.	Each	1.00			
18	Supplying and fixing batten/angle holder including connection etc. as required.	Each	7.00			
19	Supplying and fixing 2 pin,6amp ceiling rose on the existing junction box/wooden block including connection etc. as required.	Each	7.00			
20	Wiring for Light/power plug with 2x4 sq.mm FR PVC insulated copper conductor single core cable in surface/recessed medium class PVC conduit along with 1 No. 4 sq.mm FR PVC insulated copper conductor single core cable for loop earthing as required.	Meter	17.00			
21	Supplying and fixing following way, single pole & Neutral, Sheet steel , M.C.B. Distribution board, 240 Volts, on surface/recess, complete with tinned copper busbar, neutral bus bar, earth bar, din bar, interconnection powder painted including earthing etc. as required(but without MCB/RCCB/Isolator).					
	2+4 way, single door.	Each	1.00			
22	Supplying and fixing following rating, 240/415 volts"C" curve, Miniature circuit breaker suitable for inductive loads of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.(For Internal & External work).					
	6/32 amps, single pole.	Each	4.00			
	6/32 amps,SPN.	Each	1.00			
23	Providing and fixing following capacity double pole/TP & N sheet metal switch disconnecter fuse unit in the existing metal panel board with rewirable type fuses including drilling holes in metal panel,making connection etc.as required.					
	32 Amp,double pole	Each	1.00			

24	Supplying and fixing powder coated strip/patty type fluorescent fitting of all type complete with all accessories etc. and lamp directly on wall/ceiling including connections with 1.5 sq.mm FR PVC insulated, copper conductor single core cable and earthing the body etc. as required.				
	4' long with electronic ballast	Each	2.00		
25	Supplying and fixing following types lamp in existing electrical fitting/fixture etc. as required.				
	14/15 watt CFL lamp	Each	8.00		
26	Supplying and fixing bulkhed fitting dia cast alluminium alloy body with prismatic glass cover suitable for the GLS/CFL Lamp directly on wall/ceiling including connection with 1.5 sqmm copper conductor cable and earthing the body etc as required.	Each	1.00		
27	Supplying and fixing stepped type electronic fan regulator on the existing modular plate switch box including making connection but excluding modular plate etc. as required.	Each	2.00		
28	Supplying and fixing modular blanking plate on the existing modular plate and switch box but excluding modular plate as required.	Each	4.00		
29	Earthing with G.I earth pipe 4.5 mt. long 40mm dia including accessories and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc.with charcoal /coke and salt as required.	Set	1.00		
30	Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing alongwith existing surface/recessed conduit/submain wiring/cable as required.	Meter	12.00		
			Total Amount Rs.		

विशेष शर्त :-

- कोटेशन की शर्त एवं दर उद्धृत किये जाने वाले Format बियाडा के वेबसाइट www.biadabihar.in पर देखें एवं प्रकाशित Format पर ही दर उद्धृत करें।
- तकनीकी बीड एवं वित्तीय बीड का लिफाफा एक साथ ही दर लिखकर डालना होगा जो एक बड़े लिफाफे के अन्दर बन्द रहेगा।
- कोटेशनदाताओं को अपना दर अंक एवं शब्दों में उद्धृत करना होगा।
- कोटेशन कागजात के सभी पन्नों पर पृष्ठ संख्या एवं एजेन्सी की मुहर के साथ अधिकृत व्यक्ति का हस्ताक्षर तिथि सहित आनेवायें होगा।
- कार्य की मात्रा कम या अधिक हो सकती है। दर प्रति ईकाई तथा अंक एवं शब्दों में उद्धृत करना अनिवार्य होगा।
- सशर्त कोटेशन स्वीकार नहीं की जाएगी।
- कोटेशनदाताओं को निबंधन प्रमाण पत्र, पैन नं.0 एवं जी0एस0टी0 की अभिप्रमाणित प्रति तकनीकी बीड के साथ सलग्न करना अनिवार्य होगा।
- सफल निविदादाता को बियाडा के नियमानुसार के उपरान्त कार्य आवंटन आदेश निर्गत किया जायेगा।
- कार्य समाप्ति की अवधि 20 दिन होगी।
- कोटेशनदाता कोटेशन डालने से पूर्व कार्य स्थल से भली-भाँती अवगत हो लें।
- अधोहस्ताक्षरी या विभागीय सक्षम पदाधिकारी को बिना कारण बताये कोटेशन रद्द करने का अधिकार सुरक्षित होगा।

ज्ञापक

5630/699

848/Engg/BIADA/P-91/17

दिनांक

11/2/17

प्रतिलिपि :- प्राधिकार के सूचना पत्र पर प्रकाशित किये जाने हेतु प्रेषित/ आई0 टी0 पदाधिकारी को प्राधिकार के वेब साइट पर प्रकाशित किये जाने हेतु प्रेषित/ प्रभारी प्रबंध निदेशक कोषांग को सूचनार्थ प्रेषित।

कार्यपालक अभियंता,
बियाडा, पटना।

कार्यपालक अभियंता,
बियाडा, पटना।